

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	16	I3 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:42
L3	19	I2 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:42
L2	207	(plurality or multiple) near protocol near (signal or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:41
L1	13490	(plurality or multiple) with protocol with (signal or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:41
S57	8	S56 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 17:37
S59	0	("6713778").URPN.	USPAT	OR	OFF	2005/11/09 14:13
S58	1	("6240482").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/09 14:12
S56	79	S55 with receive with generate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:04
S55	2951	S54 with plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:04

S54	3762	decode with (plurality or multiple) near3 (signal or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:04
S53	4	S52 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:53
S52	38	S51 with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:41
S51	168	S50 with (signal or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:41
S50	212	receive near3 decode near3 generate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:40
S49	7	S48 with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:40
S48	68	S47 with plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:38
S47	812	receive near5 signal with decode with generate near5 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:38

S45	15	S44 with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:37
S46	0	S45 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:21
S44	619	receive near5 generate with decode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:21
S43	15	S42 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:20
S42	267	S41 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:18
S41	305	decoder with plurality near3 signal with (controller or manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:18
S40	3	S39 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:17
S39	49	S38 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:13

S38	59	S35 with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:09
S37	137	S35 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:08
S36	0	S35 with "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:08
S35	155	decode with receive with generate with (plurality or multiple) with (signal or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:08
S34	2	"6542391".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:17
S33	2	"5367646".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:17
S32	2	"5805931".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 10:17
S31	1	FWH adj protocol	USPAT	OR	OFF	2005/05/24 15:52
S30	390	FWH	USPAT	OR	OFF	2005/05/24 15:52
S29	12	LPC and FWH	USPAT	OR	OFF	2005/05/24 15:52
S28	5	LPC same FWH	USPAT	OR	OFF	2005/05/24 15:46
S27	3	LPC with FWH	USPAT	OR	OFF	2005/05/24 15:46

S26	0	S25 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 15:42
S25	31	non?volatile with register with flip?flop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 15:42
S24	2	volatile with non?volatile with register with flip?flop with sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 15:42
S23	13	S22 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:23
S22	185	S8 with S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:23
S21	130563	((decod\$4 or conver\$4) with (controller or manager))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:23
S18	207955	((decod\$4 or conver\$4) same (controller or manager))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:22
S10	2491	(memory with (plurality or multiple) with (modes or protocols)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:22

S20	287	S8 same S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:21
S19	2671	S8 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:20
S7	17	S6 and (decod\$4 same (controller or manager))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:20
S17	78	(memory near5 (plurality or multiple) near2 (modes or protocols)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:16
S16	245	(memory with (plurality or multiple) with (modes or protocols)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:16
S8	12442	(memory with (plurality or multiple) with (modes or protocols))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:15
S15	27	("5805931").URPN.	USPAT	OR	OFF	2005/05/22 17:13
S14	12	("4603320" "4638451" "4972470" "5233564" "5289580" "5313431" "5315388" "5367649" "5416909" "5532714" "5555429" "5657289").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/22 17:11
S13	9	S12 and (decode same (controller or manager))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:09

S12	65	S11 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:09
S11	66	S10 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:08
S9	664	S8 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:08
S6	92	S5 and (memory with (plurality or multiple) with (modes or protocols))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:07
S5	3760	S1 or S2 or S3 or S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:02
S4	1199	710/36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:02
S3	561	710/11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:02
S2	2014	710/8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:02

S1	490	710/6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 17:02
----	-----	-------	---	----	----	------------------